

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S214	2519	((transition near3 density) OR ((ris \$3 OR fall\$3 OR zero ADJ cross\$3 OR clock ADJ (cycle\$1 OR period\$1 OR phase\$1) OR clk) near3 count\$3)) WITH (sync\$11)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 13:15
S215	33	((transition near3 density) OR ((ris \$3 OR fall\$3 OR zero ADJ cross \$3) near3 count \$3)) WITH ((clock OR CLK) ADJ (cycle\$1 OR period\$1 OR phase\$1)) WITH (sync\$11)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 13:17
S216	42	((transition near5 density) OR ((ris \$3 OR fall\$3 OR zero ADJ cross \$3) near5 count \$3)) WITH ((clock OR CLK) ADJ (cycle\$1 OR period\$1 OR phase\$1)) WITH (sync\$11)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 17:56
S217	223	((transition near5 density) OR ((ris \$3 OR fall\$3 OR zero ADJ cross \$3) near5 count \$3)) SAME ((clock OR CLK) ADJ (cycle\$1 OR period\$1 OR phase\$1)) SAME (sync\$11)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 10:36

S218	138	((transition near5 density) OR ((ris \$3 OR fall\$3 OR zero ADJ cross \$3) near5 count \$3)) SAME (bus \$3 OR circuit\$1 OR line\$1 OR lane\$1 OR pin\$1 OR wir\$3) SAME ((clock OR CLK) ADJ (cycle\$1 OR period\$1 OR phase\$1)) SAME (sync\$11)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 10:38
S219	9	((((transition near5 density) OR ((ris\$3 OR fall \$3 OR zero ADJ cross\$3) near5 count\$3)) WITH (bus\$3 OR circuit \$1 OR line\$1 OR lane\$1 OR pin\$1 OR wir\$3) WITH ((clock OR CLK) ADJ (cycle\$1 OR period\$1 OR phase\$1))) SAME ((sync\$11) WITH (bus\$3 OR circuit \$1 OR line\$1 OR lane\$1 OR pin\$1 OR wir\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/01 10:42
S220	100	(data OR bit OR 1/0 OR 0/1) near3 transition \$3 near3 (densit \$3 OR number\$3 OR threshold\$1 OR amount\$3 OR quantit\$3) near5 sync\$11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 11:30

S221	7	(calculat\$3 OR determin\$3 OR count\$3) near3 (data OR bit OR 1/0 OR 0/1) near3 transition \$3 near3 (densit \$3 OR number\$3 OR threshold\$1 OR amount\$3 OR quantit\$3) near5 sync\$11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:39
S222	20	(calculat\$3 OR determin\$3 OR count\$3) near5 (data OR bit OR 1/0 OR 0/1) near3 transition \$3 near5 (densit \$3 OR number\$3 OR threshold\$1 OR amount\$3 OR quantit\$3) near5 sync\$11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:46
S223	30	(calculat\$3 OR determin\$3 OR count\$3) near5 (data OR bit OR 1/0 OR 0/1) near3 transition \$3 near5 (densit \$3 OR number\$3 OR threshold\$1 OR amount\$3 OR quantit\$3) WITH sync\$11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:51
S224	127	((calculat\$3 OR determin\$3 OR count\$3) WITH (data OR bit OR 1/0 OR 0/1) near3 transition \$3 WITH (densit \$3 OR number\$3 OR amount\$3 OR quantit\$3)) SAME sync\$11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:58

S225	53	((calculat\$3 OR determin\$3 OR count\$3) WITH (data OR bit OR 1/0 OR 0/1) near3 transition \$3 WITH (densit \$3 OR number\$3 OR amount\$3 OR quantit\$3)) WITH sync\$11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 16:59
S226	3	((calculat\$3 OR determin\$3 OR count\$3) WITH (data OR bit OR 1/0 OR 0/1) near3 transition \$3 WITH (densit \$3 OR number\$3 OR amount\$3 OR quantit\$3) WITH threshold \$1) WITH sync \$11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 17:11
S227	2	((calculat\$3 OR determin\$3 OR count\$3) WITH (data OR bit OR 1/0 OR 0/1) near3 transition \$3 WITH (densit \$3 OR number\$3 OR amount\$3 OR quantit\$3) WITH threshold \$1) WITH (clock OR CLK) ADJ (cycle\$1 OR period\$1 OR phase\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 17:14

S228	58	((calculat\$3 OR determin\$3 OR count\$3) WITH (data OR bit OR 1/0 OR 0/1) near3 transition \$3 WITH (densit \$3 OR number\$3 OR amount\$3 OR quantit\$3)) WITH (clock OR CLK) ADJ (cycle \$1 OR period\$1 OR phase\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 17:15
S229	2	((calculat\$3 OR determin\$3 OR count\$3) WITH (data OR bit OR 1/0 OR 0/1) near3 transition \$3 WITH (densit \$3)) SAME (clock OR CLK) ADJ (cycle\$1 OR period\$1 OR phase\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 17:39
S230	2	((calculat\$3 OR determin\$3 OR count\$3) WITH (data OR bit OR 1/0 OR 0/1) WITH transition \$3 WITH (densit \$3)) SAME (clock OR CLK) ADJ (cycle\$1 OR period\$1 OR phase\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 17:39
S231	6	((calculat\$3 OR determin\$3 OR count\$3) WITH (data OR bit OR 1/0 OR 0/1) WITH transition \$3 WITH (densit \$3 OR number\$3 OR amount\$3 OR quantit\$3) WITH threshold \$1) WITH sync \$11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 17:40

S232	9	((calculat\$3 OR determin\$3 OR count\$3) WITH transition\$3 WITH (densit\$3)) SAME (clock OR CLK) ADJ (cycle\$1 OR period\$1 OR phase\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 17:40
S233	211	((calculat\$3 OR determin\$3 OR count\$3) near5 transition\$3 near5 (densit\$3 OR number\$3 OR threshold\$1 OR amount\$3 OR quantit\$3) WITH sync\$11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 17:42
S234	31	((calculat\$3 OR determin\$3 OR count\$3) near5 (data OR bit OR 1/0 OR 0/1 OR read\$3 OR writ\$3 OR r/w OR i/o) near3 transition\$3 near5 (densit\$3 OR number\$3 OR threshold\$1 OR amount\$3 OR quantit\$3) WITH sync\$11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 17:43
S235	60	((calculat\$3 OR determin\$3 OR count\$3 OR detect\$3) near5 (data OR bit OR 1/0 OR 0/1 OR read\$3 OR writ\$3 OR r/w OR i/o) near5 transition\$3 near5 (densit\$3 OR number\$3 OR threshold\$1 OR amount\$3 OR quantit\$3) WITH sync\$11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/01 17:53

S236	12	(calculat\$3 OR determin\$3 OR count\$3) near3 (data OR bit) near3 transition \$3 near3 (densit \$3 OR number\$3 OR amount\$3 OR quantit\$3) WITH sync\$11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/05 14:25
S237	346	(calculat\$3 OR determin\$3 OR count\$3) near3 (data OR bit) near3 transition \$3 near3 (densit \$3 OR number\$3 OR amount\$3 OR quantit\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/05 14:29
S238	130	(calculat\$3 OR determin\$3 OR count\$3) near2 (data OR bit) near2 transition \$3 near2 (densit \$3 OR number\$3 OR amount\$3 OR quantit\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/05 14:30
S239	0	((calculat\$3 OR determin\$3 OR count\$3) near5 (data OR bit) near5 transition \$3 near5 (densit \$3 OR number\$3 OR amount\$3 OR quantit\$3)) WITH ((great\$3 OR larg\$3 OR more OR big\$4) near5 ("2" OR two) near5 (clock \$3 OR CLK) ADJ (cycle\$1 OR period\$1 OR phase\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/05 15:08

S240	0	((calculat\$3 OR determin\$3 OR count\$3) near5 (data OR bit) near5 transition \$3 near5 (densit \$3 OR number\$3 OR amount\$3 OR quantit\$3)) SAME ((great\$3 OR larg\$3 OR more OR big\$4) near5 ("2" OR two) near5 (clock \$3 OR CLK) ADJ (cycle\$1 OR period\$1 OR phase\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/05 15:08
S241	1	((calculat\$3 OR determin\$3 OR count\$3) WITH (data OR bit) WITH transition \$3 WITH (densit \$3 OR number\$3 OR amount\$3 OR quantit\$3)) SAME ((great\$3 OR larg\$3 OR more OR big\$4) WITH ("2" OR two) WITH (clock \$3 OR CLK) ADJ (cycle\$1 OR period\$1 OR phase\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/05 15:09
S242	23	((calculat\$3 OR determin\$3 OR count\$3) WITH (data OR bit) WITH transition \$3 WITH (densit \$3 OR number\$3 OR amount\$3 OR quantit\$3)) SAME ((great\$3 OR larg\$3 OR more OR big\$4) WITH (clock\$3 OR CLK) ADJ (cycle\$1 OR	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/05 15:09



		period\$1 OR phase\$1))				
S243	139	((calculat\$3 OR determin\$3 OR count\$3) WITH (data OR bit) WITH transition \$3 WITH (densit \$3 OR number\$3 OR amount\$3 OR quantit\$3)) SAME ( (clock\$3 OR CLK) ADJ (cycle\$1 OR period\$1 OR phase\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/05 15:23
S244	90	((calculat\$3 OR determin\$3 OR count\$3) near10 (data OR bit) near10 transition \$3 near10 (densit \$3 OR number\$3 OR amount\$3 OR quantit\$3)) SAME ( (clock\$3 OR CLK) ADJ (cycle\$1 OR period\$1 OR phase\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/05 15:44
S245	12	transmit\$4 near5 sync\$11 near5 (every OR entire \$2) near5 (((data OR bit) near3 (lane\$1 OR line \$1 OR circuit\$1 OR wir\$3)) OR bitline\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/05 17:43

S246	12	transmit\$4 near10 sync\$11 near10 (over OR across OR through\$3) near10 (every OR entire\$2) near10 (((data OR bit) near5 (lane\$1 OR line \$1 OR circuit\$1 OR wir\$3)) OR bitline\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/05 17:49
S247	14	transmit\$4 near10 sync\$11 near10 (over OR across OR through\$3 OR us \$3) near10 (every OR entire \$2) near10 (((data OR bit) near5 (lane\$1 OR line\$1 OR circuit\$1 OR wir \$3)) OR bitline \$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/05 17:50
S248	16	transmit\$4 near10 sync\$11 near10 (over OR across OR through\$3 OR us \$3 OR upon) near10 (every OR entire\$2) near10 (((data OR bit) near5 (lane\$1 OR line \$1 OR circuit\$1 OR wir\$3)) OR bitline\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/05 17:51

S249	38	(transmit\$4 OR send\$3) near10 sync\$11 near10 (over OR across OR through\$3 OR us\$3 OR upon) near10 (every OR entire \$2) near10 (((data OR bit) near5 (lane\$1 OR line\$1 OR circuit\$1 OR wir \$3)) OR bitline \$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2009/05/05 17:57
------	----	--	--	----	----	---------------------

5/ 6/ 2009 2:26:00 PM

C:\Documents and Settings\mkrofcheck\My Documents\Files from Applications  
 \ 10713563\ 10713563.wsp